

2025 Bali 4.6 BALI 4.6 PURCHASE FOR CHARTER



Basic Vessel Summary

Manufacturer:	BALI
Model:	Bali 4.6
Model Year:	2025
Type of Yacht:	Sail
Price:	Price on Application
Condition:	Brochure
Status:	Catamaran for Sale
Location	
Manuf. Length:	46' (14.02 m)
Maximum Draft:	4' 0" (1.22 m)
Beam:	25' 13" (7.95 m)
LWL:	44' (13.41 m)
Mast Height Clearance:	73' (22.25 m)
Fuel Capacity:	211.34 g
Water Capacity:	211.34 g

Weight - Displacement:	13.26 ton (26520 lb)
Hull Material:	Fiberglass Reinforced Plastic- FRP
Hull Configuration:	Catamaran
Engine Manufacturer	Yanmar
Engine Type	InBoard
Engine Configuration	Twin
Engine Fuel Type	Diesel

Boat Description:

With its sleek, elegant frame, the Bali 4.6 stands out in its class, offering unparalleled use of space and Bali's signature Open Space concept. The aft cockpit and saloon seamlessly merge into one expansive living area, thanks to the tilting garage door, creating a perfect environment for relaxation and socializing. Open Space Design with Seamless Flow: The Bali 4.6 features a spacious aft cockpit that transitions effortlessly into the saloon, forming a large, unified living area. The forward cockpit, accessible directly from the saloon, offers a perfect spot to enjoy the sun and sea breeze, with ample space for the whole family.

Full Specification

Layout & Accommodations

Flexible Layout Options: The Bali 4.6 offers multiple layout choices, including 3, 4, 5, and up to 5+2 cabin configurations, making it adaptable for families, groups, or charter needs. Each version is designed to maximize space and comfort for all guests.

ACCOMMODATION – OPEN NACELLE

Aft cockpit full open space

? Leather handles on furniture

? Vinyl headlining in saloon

? Seating to starboard with large stowage space

? L shape bench to portside with large stowage

? Upholstery bands on seats

? Hinges on the seats to facilitate the opening of the storage space

? 10-person saloon dining table with stainless-steel legs

? Covering the wooden coachroofs

? Upholstery headbands roof window coverings

? Fixed forward window ; optional Tilting windows for ventilation with locking system in open mode

? Tilting aft bay window with complete opening and access from the sliding door. Optional

hydraulic

? Lateral sliding windows

3-Cabin version

Starboard hull: Owner's suite

Aft cabin:

? Vinyl and laminated headlinings

? Central island bed with bedside table

? High resiliency foam mattress (beige suede)

? Multiple storage 2 hanging lockers and 1 cupboard

? Padded dressing table cover / desk with seat and mirror

? Unit with basin, mirror and fittings

? Ceramic mixer taps

? Hatch for light and ventilation

? Separate WC (optional electric fresh water) with hand basin

Bathroom

? Heads compartment comprising shower, double sink basin, mirror and cupboard

? Ceramic mixer taps

? Deck hatch and hatch for light and ventilation

Aft cabin

? Vinyl and laminated headlinings

? Island bed with 2 bedside tables

? High resiliency foam mattress (beige suede)

? Multiple storage

? 1 hanging locker and 1 cupboard

? Bathroom, comprising spacious shower, ceramic mixer tap (plexiglas separation)

? Unit with basin, mirror and fittings

? Ceramic mixer taps

? Hatch for light and ventilation

? WC (optional electric fresh water) with hand basin

Forecabin:

? Access via aft cockpit and saloon

? Vinyl and laminated headlinings

? Half island bed with bedside table

? High resiliency foam mattress (beige suede)

? 1 drawer beneath the bunk

? Multiple storage

? 1 hanging locker + dressing table/desk with seat

- ? Bathroom, comprising spacious shower, ceramic mixer tap (plexiglas separation),
- ? Unit with basin, mirror and fittings
- ? Ceramic mixer taps
- ? Hatch for light and ventilation
- ? Separate WC (optional electric fresh water) with hand basin

4 cabin version owner's suite to starboard

Starboard hull: Identical to 3-cabin version

Port hull:

Forecabin: identical to the 4-cabin version 2X2
(except half island bed)

Central cabin

- ? Vinyl and laminated headlinings
- ? 2 Single bunk beds, one with bedside table
- ? High resiliency foam mattress (beige suede)
- ? Multiple storage
- ? 1 hanging locker

Bathroom

- ? shower, ceramic mixer tap and plexiglas separation
- ? Countertop with basin
- ? Ceramic mixer tap
- ? WC (optional electric fresh water)
- ? Storage for laundry and toiletries
- ? Hatch for light and ventilation

Aft cabin - Access via aft cockpit

- ? Vinyl and laminated headlinings
- ? Semi-island bed with bedside table
- ? High resiliency foam mattress (beige suede)
- ? Multiple storage with shelves
- ? 1 hanging locke

4 cabin version 2 on starboard & 2 on port

Port hull: Identical to 3-cabin version

Starboard hull: Symmetrical to port hull

5-cabin version

Port hull: Identical to the 4-cabin version owner's suite

Starboard hull: Identical to the 4-cabin version

Galley

Fully Equipped Galley: The galley is designed for convenience and functionality, featuring a cooking range, a full-sized double fridge with freezer and water cooler, making onboard dining a comfortable experience.

Galley to portside , with large countertop:

? Numerous storage lockers

? Stainless steel 1½ sinks

? Garbage cans 2 x 35L

? 615L combined refrigerator (402L chilled + 213L freezer) with icemaker and chilled water dispenser

? Mixer Tap with ceramic seals for hot and cold fresh water

? 3-burner gas cooktop

? Gas oven*

? Space for dishwasher

Chart Table

? Padded chart table cover

? Storage and bookcase

? Stool with foam seat

? Electric panel 10 functions

? Chart table flexible light

? Optional Raymarine electronic equipment: VHF and optional multifunctional display

Deck & Equipment

Deck Hatches:

? 2 plexiglas flush hatches for forepeaks

? 2 flush hatches in forward cabins

? 2 GRP engine room hatches

with gas struts

? 1 GRP hatch for lockers under forward cockpit seat with gas struts

? 1 polyester locker lid for anchor access

? 1 polyester lid for locker under sunbeds

? 2 escape hatches under the stairs down to cabins

? 1 escape hatch in port aft cabin

Safety:

? Bulwarks and handrails

? Stainless steel handrails on forward beam with 2 built-in seats

- ? Pushpits in stainless tubing
- ? 6 stainless steel stanchions
- ? Double guard wires in stainless steel
- ? 6 large-sized aluminum cleats with SS hull protections

Flybridge & Helmstation

- ? Helmstation console on port side
- ? Helmstation polyester seat (with cushions*)
- ? L shape bench with dining area
- ? Optional bimini sunbathing area
- ? Steering wheel
- ? Magnetic compass with correction, light and protection cover
- ? 2 balanced spade rudders with stainless steel shaft
- ? 1 emergency tiller
- ? Sheathed line steering transmission system and direct link bar between the rudders
- ? Engine controls at helmstation with engines and alarms instruments
- ? Optional Raymarine multifunction display*, color chartplotter*, autopilot control display*
- ? LED lighting*

Electronics & Navigation

Raymarine: P70S Autopilot, GPS plotter AXIOM 7", MULTI I70S, VHF RAY 63 + VHF RAY MIC at helm station, AIS receiver transmitter, 12 " full touch screen at helm station

Electrical, Power & Plumbing

- ? 2 fresh water tanks 400L + 400L with display gauges at chart table, total capacity 800L*
- ? 1 Pressurized fresh water pumps with accumulator tank, drinking water circuit
- ? 60 L electrical water heaters connected to the engine cooling circuit
- ? Ecological pack including freshwater purifying filter
- ? Gas installation (EU appliance) under the cockpit seat for 13 kg tanks and location for spare gas cylinder
- ? 4 electrical bilge pumps
- ? 2 manual bilge pumps
- ? Optional watermaker

Service Voltage: 12 VDC and 230 VAC / 50Hz

- ? 1 x 130Ah gel starter battery (starboard engine), with breaker and manual emergency cutoff*
- ? 4 x 130Ah gel batteries for service bank and port engine starting
- ? 2 extra house 130 Ah batteries*

- ? Low charge alarm buzzer for the service battery bank at chart table
- ? Electrical panel with magneto-thermal breaker
- ? 230 VAC wiring with waterproof shore power and 25m extension cord, AC outlet in each cabin, saloon and cockpit
- ? Indirect LED lighting saloon and cabins*
- ? LED navigation lights
- ? USB socket at the chart table and in each cabin
- ? Charger / Inverter 12 V / 230 V 2000 VA / 80A*
- ? 4 optional 100W solar panels

Engine & Mechanical

Enginerooms totally separate from the accommodation

- ? 2 x 45 HP YANMAR diesel engines (57 HP option)
- ? Control panel at helmstation
- ? Engine controls at helmstation
- ? 2 Saildrive transmission systems
- ? 2 fixed two-blade propellers
- ? Optional three-blade folding propellers
- ? 2 fuel filters / water separators
- ? Ceiling lights
- ? 2 Fuel tanks 400L and 400L with gauge displays at chart table, total capacity 800L

Sails & Rigging

Sails

- ? 72 m² Fully battened Mainsail in Dacron with 3 reefs
- ? 44 m² Self-tacking "cross cut" Solent Jib in Dacron, on furler*
- ? Optional reinforced fully battened mainsail & solent with UV protection + lazy bag + lazy jacks
- ? Optional 76 m² fully battened square top mainsail in Dacron (with automatic square top gear)
- ? Optional Hydranet mainsail and solent
- ? Optional 80m² triradial code 0 with anti-twist cable

Mast / Rigging

- ? Anodized aluminum mast, air-draught: 22.33 m
- ? LED anchor light
- ? LED steaming and deck light
- ? Outlets for main halyard, self-tacking solent halyard, topping lift and spinnaker
- ? Ball bearing mainsail luff cars
- ? Anodized aluminum boom

- ? Solent forestay
- ? Furler on forestay
- ? 2 Capshrouds in stranded stainless steel
- ? 2 lower shrouds in stranded stainless steel
- ? Optionnal articulated bowsprit

Running Rigging

- ? Mainsail halyard
- ? Mainsheets
- ? Self-tacking solent halyard
- ? Self-tacking solent sheet
- ? Solent furling line
- ? Boom topping lift

Deck Fittings

- ? 1 electric winch for main halyard and solent furler control, mainsheet.
- ? 1 winch for reefing lines and solent sheets, & mainsheet
- ? 2 manual or electric winches for gennaker, code zero or asymmetrical spinnaker sheets as option

Mainsail:

- ? Double purchase for mainsheet
- ? 2 Stand up blocks
- ? 4 blocks under the boom
- ? Triple-purchase sheeting system

Self-tacking solent:

- ? 1 sheet track on coachroof top
- ? Sheet car on track
- ? Sheet block on solent
- ? Solent sheet
- ? 1 sheet jammer
- ? Furler control line - 10mm diameter
- ? Furler control line fairlead and jammer on deck-edge

Image Gallery













Disclaimer

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors to investigate such details as the buyer desired validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice. Photos may not properly reflect the current condition of the actual vessel offered for sale. In some cases stock photographs may have been used.

Mechanical Disclaimer

Engine and generator hours are as of the date of the original listing and are a representation of what the listing broker is told by the owner and/or actual reading of the engine hour meters. The broker cannot guarantee the true hours. It is the responsibility of the purchaser and/or his agent to verify engine hours, warranties implied or otherwise and major overhauls as well as all other representations noted on the listing.

Dinghy Disclaimer

All dinghies are considered separate vessels and should have separate titles and documents. There is no guarantee as to the title of the dinghy on this vessel so Buyer accepts that while he may receive the dinghy included in the transaction, he may not receive the proper title to it.