



## Basic Vessel Summary

<b>Manufacturer:</b>	FOUNTAINE PAJOT
<b>Model:</b>	FP New 41
<b>Model Year:</b>	2026
<b>Type of Yacht:</b>	Sail
<b>Price:</b>	Price on Application
<b>Condition:</b>	Brochure
<b>Status:</b>	Catamaran for Sale
<b>Location</b>	France
<b>Manuf. Length:</b>	39' 8" ( 12.09 m)
<b>Minimum Draft:</b>	4' 5" ( 1.35 m)
<b>Beam:</b>	22' 8" ( 6.91 m)
<b>Mast Height Clearance:</b>	65' ( 19.81 m)
<b>Fuel Capacity:</b>	93 g
<b>Water Capacity:</b>	2 x 79 g
<b>Weight - Displacement:</b>	12.7 ton (25400 lb)

<b>Hull Material:</b>	Fiberglass Reinforced Plastic- FRP
<b>Hull Configuration:</b>	Catamaran
<b>Engine Manufacturer</b>	YANMAR
<b>Engine Model</b>	3YM20
<b>Engine Horsepower</b>	40
<b>Engine Type</b>	Inboard
<b>Engine Configuration</b>	Twin
<b>Engine Fuel Type</b>	Diesel
<b>Engine Condition</b>	New

### **Boat Description:**

The Fountaine Pajot New 41 is the latest addition to the brand's renowned lineup, offering an exceptional balance of luxury, performance, and innovation.

Designed for smooth bluewater sailing, this catamaran is built with a high sail area-to-weight ratio, ensuring efficiency and speed.

With spacious living areas and a contemporary design, it provides the perfect combination of comfort and functionality.

CALIFORNIA RETAIL- PURCHASE FOR CHARTER ensures an excellent investment opportunity for those looking to enter the charter market with a top-tier sailing catamaran.

The New 41 features a raised helm station with excellent visibility, allowing for easy communication between the helm, cockpit, and salon.

The interior is designed with a large galley and an island counter, seamlessly blending into the spacious cockpit and lounge area.

Expansive foredeck space offers a relaxing environment, while the customizable layout ensures ample storage and versatility.

This model is available with cutting-edge Smart Electric 25 kW drives and an ODSea+ system with solar panels, maximizing energy efficiency and sustainability.

Perfect for those seeking adventure, luxury, and reliability, the Fountaine Pajot New 41 is the ultimate choice for charter operations or personal cruising.

Contact us today to learn more about this innovative sailing catamaran.

# Full Specification

## Layout & Accommodations

General characteristics:

Alpi woodworking

Salon / Cabins flooring: Timber-laid floor

Lining on rotproof

Seat cushions

Polyether foam mattresses

Salon Layout:

A-2-1 Saloon

Saloon accessible via 1 triple-leaf sliding door with carpeted entrance

Panoramic view through picture windows

Natural lighting Through 2 glass ceiling bay

1 coffee table with storage

6 places bench seat

1 place bench seat

Storage boxes under the bench

Ventilation through 1 large front window

Main lighting system by LED spotlights

Interior Layout QUATUOR version:

4 cabins + 4 independent bathrooms / 2 bathrooms

Starboard hull: 2 double cabins + 2 bathrooms / 1 bathroom

Companionway:

A companionway behind the saloon gives access to the starboard hull

Open on the saloon

Wooden staircase

1 cupboard

A Electrical 12V panel

Aft Cabin:

Access from the companionway via a wooden door

Queen-size Island Bed (1,50x2,00 m approx)

Drawer below the bed with frontal access

Bedside shelves

Storage above the bed

Wardrobe

Ventilation via a deck hatch + and 1 hull porthole  
Rear panoramic window  
Large picture-window on hull side  
Curtains to all windows  
2 x Clothes hooks  
Main lighting via 2 LED spotlights & 2 berth lights  
Multifunction radio switch

Fore & aft bathrooms: (layout 2 bathrooms)  
Access via wooden door  
Washbasin with worktop and mirror  
Hot and cold freshwater system from mixer faucet  
Shower with Electric drainage pump  
Large manual marine toilet  
Clothes hooks  
Storage closet with shelves under the worktop  
Ventilation via 1 deck hatch  
Lighting via LED spotlights  
Multifunction radio switch

Central bathroom: (Layout 1 bathroom)  
Access via wooden door  
Washbasin with worktop and mirror  
Hot and cold freshwater system from mixer faucet  
Shower separated via a Plexiglas panel  
Electric drainage pump  
Shower with Electric drainage pump  
Large manual marine toilet  
Clothes hooks  
Ventilation via 1 deck hatch  
Lighting via LED spotlights  
Multifunction radio switch

Fore cabin:  
Access by the wooden door in the passageway  
Double bed (1,40 x 2 m approx.)  
1 drawer under the bed with front access  
1 Wardrobe  
Storage above the bed  
2 Coat hook  
Ventilation via 1 hull porthole + deck hatch

Large picture-window on hull side  
Curtains over all the openings  
General lighting by 2 LED spotlight and 2 bedside reading lights  
Multifunction radio switch

Fore peak:

Access from a deck hatch  
Fully-painted, gel-coat finish  
Buoyancy reserve under half-height shelf

Starboard hull: 2 double cabins + 2 bathrooms / 1 bathroom

Companionway

A companionway behind the saloon gives access to the starboard hull  
Wooden staircase  
1 cupboard

Cabin:

Access from the companionway via a wooden door  
Queen-size Island Bed (1,50x2,00 m approx)  
Drawer below the bed with frontal access  
Bedside shelves  
Storage above the bed  
Wardrobe  
Ventilation via a deck hatch + and 1 hull porthole  
Rear panoramic window  
Large picture-window on hull side  
Curtains to all windows  
2 x Clothes hooks  
Main lighting via 2 LED spotlights & 2 berth lights  
Multifunction radio switch

Fore & aft bathrooms: (Layout 2 bathrooms)

Access via wooden door  
Washbasin with worktop and mirror  
Hot and cold freshwater system from mixer faucet  
Shower with Electric drainage pump  
Large manual marine toilet  
Clothes hooks  
Storage closet with shelves under the worktop  
Ventilation via 1 deck hatch

Lighting via LED spotlights  
Multifunction radio switch

Central bathroom: (Layout 1 bathroom)  
Access via wooden door  
Washbasin with worktop and mirror  
Hot and cold freshwater system from mixer faucet  
Shower separated via a Plexiglas panel  
Electric drainage pump  
Shower with Electric drainage pump  
Large manual marine toilet  
Clothes hooks  
Ventilation via 1 deck hatch  
Lighting via LED spotlights  
Multifunction radio switch

Fore cabin:  
Access by the wooden door in the passageway  
Double bed (1,40 x 2 m approx.)  
1 drawer under the bed with front access  
1 Wardrobe  
Storage above the bed  
2 Coat hook  
Ventilation via 1 hull porthole + deck hatch  
Large picture-window on hull side  
Curtains over all the openings  
General lighting by 2 LED spotlight and 2 bedside reading lights  
Multifunction radio switch

Fore peak:  
Access from a deck hatch  
Fully-painted, gel-coat finish  
Buoyancy reserve under half-height shelf

Interior Layout MAESTRO Version:  
Starboard hull: 2 double cabins + 2 bathrooms / 1 bathroom  
Port hull: 1 Owner's suite  
Access to the Owner's cabin through a wooden sliding door  
Owner's cabin –Sleeping area  
Queen-size Island Bed (1,50x2,00 m approx)  
Drawer below the bed with frontal access

Bedside shelves

Ventilation thanks to a deck hatch and 1 hull porthole

Rear panoramic window

Large picture-window on hull side

Curtains to all windows and doors

Main lighting via 2 LED spotlights & 2 berth lights

2 Clothes hooks

Multifunction radio switch

Owner's cabin – Office area :

Desk with storage cabinet

1 seat

Storage cabinet below the desk

Large storage furniture: hanging closet, cupboard and wardrobe

Library wall niche

Main lighting via LED spotlights & 1 berth light

Ventilation via 1 deck hatch

Lining covered ceilings

Owner's cabin - Bathroom :

Washbasin with worktop

Mirror with shelf

Hot and cold freshwater system from mixer faucet

1 large storage cupboard with shelves and hanging cupboard

Storage closet with shelves under the worktop

Ventilation via 1 deck hatch and 1 hull porthole

Shower separated via a Plexiglas panel

Mixing valve tap for shower

Electric drainage pump for greywater

Lighting via LED spotlights

Clothes hooks

Multifunction radio switch

Independent WC

Manual W.C.

1 large storage cupboard with shelves can accommodate a 3 kg lave linge gas oven (optionally)

Lighting by LED spotlight

Multifunction radio switch

Forepeak:

Access from a deck hatch  
Fully-painted, gel-coat finish  
Buoyancy reserve under half-height shelf

## Galley

Galley opened to the outside via a sliding bay

Worktop

1 stainless-steel sinks

Pressurized hot and cold freshwater system from mixer faucet

1 large cupboards under the sinks

1 x 3 burner stove with pan holder

1 pan cupboard and 1 cupboard under the burner can accommodate a 1 gas oven (optionally)

1 cupboard on the worktop can accommodate a microwave (optionally)

1 storage behind the burner stove

A central island with 2 storage cupboards, 1 drawer, and 1 rubbish bin accessed vertically, bags evacuated by independent door.

Central island that can accommodate a maximum volume of 65L in conservation mode (option)

1 cupboard under the worktop

Storage on worktop with drawer

144L cold storage volume (12V)

1 storage spaces underneath the floor

Lighting via LED spotlights

Multifunction radio switch

## Deck & Equipment

Helm station:

Access through staircase from the cockpit

Twin helmsman seat

Instrument console

360° view / All-round visibility

Access to the Lounge deck through staircase

Lounge e deck:

Access via staircase from wheelhouse

Available area for solarium and mattresses

Visibility 360°

Lounge with large sofa (optional)

#### Cockpit:

Large cockpit: Circulation without threshold towards the saloon.

Access via the transom platforms

Transom platform with swimming ladder & handrail

1 cold shower in the platform

GRP Bimini protecting all the cockpit

8 seats sofa around the table

1 Teck cockpit table with a capacity of 8 places (10 places in option)

Serving hatch to the galley via sliding bay

1 Large storage area under the sofa

1 fainting sofa with large storage locker

1 Transom sofa with large storage locker

1 Gas chest for 1 bottles

Space on starboard side for a cockpit 75L fridge

Additional ventilation and lighting via 1 deck hatch

Lighting via 4 waterproof spotlights

Space available for a barbecue on starboard side aft of the cockpit

#### Fore-deck salon:

1 Large chest giving access to windlass and anchor as well as water tanks

Large waterproof locker on portside with space for generator as well as watermaker

Relaxation area with U-shaped sunbed (cushions optional)

#### Engine holds: :

Access via polyester deck hatch installed on stainless steel gas cylinders

Sound proofing

Neon lighting

#### Helm station:

1 mainsheet tackle led aft to coach roof

1 clutch for mainsail sheet

1 clutch for the mainsail halyard

1 clutch for the spinnaker halyard

1 clutch for the topping line halyard

3 clutch for the reef lines

1 size 46 self tailing winch for mainsail sheet

1 size 46 self tailing winch for mainsail halyard and reef lines

1 size 46 self tailing winch for genoa sheet

1 Ball bearing mainsheet traveler

2 x tackle on mainsheet traveler clutches with back on roof

2 x genoa tracks with load block  
2 genoa sheets  
1 halyard storage bag

#### Steering System

2 foam sandwich rudders on stainless steel rudder stock  
steering system by cable  
Aluminum stern tubes  
Self lining upper and lower rudderstock bearings  
Emergency tiller

#### Other Equipments

1 steering compass  
3 winch handles with their 2 pockets  
Pulpit and pushpit, stanchions with upper and lower guardrails  
Pulpits with bow pulpit seats  
Access to transom  
2 x tender davits (100kg per davits)  
1 x bathing ladder  
7 mooring cleats (2 foredeck + 2 middle + 2 astern + 1 in anchor well)  
6 fenders  
2 x 50 ft long mooring lines  
1 x 1000W electric windlass with circuit breaker protection  
Anchor fairlead under bridge deck with built-in bridle  
1 roller on forward beam  
Net on forward beam  
1 kit of spare parts

#### Electronics & Navigation

##### Chart Table:

High navigation instrument console above the cold storage  
One 12V electric outlet  
Lighting via LED spotlight

##### Electronic:

1 V.H.F mast head antenna

## Electrical, Power & Plumbing

Fresh water:

- 2 Freshwater tanks with 1 Electric gauge.
- 1 Electric pump and pressure accumulator
- 1 Mixed water heater 24L

Grey water and black water:

- Shower drainage via individual shower pump (automatic pump-out).
- 1 holding tank.

Bilging system:

- Bilge pumps directly powered with 12V by the service unit
- 1 electric bilge pump (4 m<sup>3</sup>/h) in each engine room
- 1 electric bilge pump (4m<sup>3</sup>/h) in each hull
- 4 x automatic starting for bilge pumps with audible and visual alarm at the chart table
- 1 manual exterior bilge pump

Power circuit:

- 2 x 125A/12V engine alternators
- 1 set starboard onboard/engine batteries of 600A/h (4 x 150 Ah)
- 1 port engine battery of 50A/h/ 800CCA
- 1 automatic back-up link and 1 Manual back-up link

12V Electrical Distribution Panel:

- General 12V distribution panel in the starboard companionway
- Voltmeter for onboard batteries
- Spare sockets for extra equipment

## Engine & Mechanical

Engines & Equipments:

- 2 Saildrive YANMAR engine 3YM20 20HP
- 2 Blades fixed propeller
- Salt water filters
- Engine cooled via heat exchanger
- Complete engine panel and dual controls at helm station
- Hour meter

Fuel System:

- 1 Fuel tank including backflow protection device

1 Electric fuel gauge (indicator at chart table)  
1 Fuel pre-filter / water separator + 1 engine fuel filter / engine  
Fuel shut-off valves

## Sails & Rigging

Mast & Bom:

Mast and boom in anodized aluminum

Complete standing rigging

Ball bearing mainsail luff cars

1 tackle on mainsail halyard

1 topping lift

3 reef pennants

Automatic reef N°1

1 genoa halyard

1 spinnaker halyard

Lazy-jack

Clutches on all halyards for genoa

2 flag halyards

Navigation, running and mooring lights

Deck lighting

Sails:

Full batten CSR mainsail

Roller genoa fuller

Genoa with UV band

## Additional Information

Construction materials and process

Hulls and decks are build using an infusion process with polyester resin on a balsa core, PET foam, or PVC foam

High quality anti osmotic resin used for hulls

Fibre glass skins

Bimini RTM process on PET foam

Infusion moulding on balsa, PVC and PET core for the structural bulkheads

Grey top coated bilges.

Hull finished in white gel-coat.

White gel-coat deck with built-in anti-skid surface

GRP keels bonded into keel boxes, anti-flooding system in case of going aground

Image Gallery





























**Disclaimer**

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors to investigate such details as the buyer desired validated. This vessel is offered subject to prior sale, price change,

or withdrawal without notice. Photos may not properly reflect the current condition of the actual vessel offered for sale. In some cases stock photographs may have been used.

### **Mechanical Disclaimer**

Engine and generator hours are as of the date of the original listing and are a representation of what the listing broker is told by the owner and/or actual reading of the engine hour meters. The broker cannot guarantee the true hours. It is the responsibility of the purchaser and/or his agent to verify engine hours, warranties implied or otherwise and major overhauls as well as all other representations noted on the listing.

### **Dinghy Disclaimer**

All dinghies are considered separate vessels and should have separate titles and documents. There is no guarantee as to the title of the dinghy on this vessel so Buyer accepts that while he may receive the dinghy included in the transaction, he may not receive the proper title to it.