

2018 Lagoon 450 LAGOON 450



Basic Vessel Summary

Manufacturer:	LAGOON
Model:	Lagoon 450
Model Year:	2018
Year Built:	2017
Type of Yacht:	Sail
Price:	\$429,000
Condition:	Used
Status:	Catamaran for Sale
Location	Tortola British Virgin Islands
Manuf. Length:	45' 10" (13.97 m)
Maximum Draft:	4' 3" (1.30 m)
Minimum Draft:	4' 3" (1.30 m)
Beam:	25' 10" (7.87 m)
Mast Height Clearance:	75' 8" (23.06 m)
No. of berths:	12
No. of Cabins:	4
No. of Heads:	4

Fuel Capacity:	274 g
Water Capacity:	92 g
Weight - Displacement:	16.648 ton (33296 lb)
Hull Material:	Fiberglass
Hull Configuration:	Catamaran
Engine Manufacturer	YANMAR
Engine Model	4JH45
Engine Horsepower	57
Engine Configuration	Twin
Engine Fuel Type	Diesel

[Boat Description:](#)

Lagoon 450 F Sailing Catamaran – LAGOON 450 Replacing a catamaran widely regarded as a benchmark is no easy task, yet VPLP architects, in collaboration with Lagoon and the renowned Nauta Design studio, have delivered a remarkable successor in the Lagoon 450 F. LAGOON 450 embodies the evolution of this iconic model, combining performance, comfort, and refined design in a proven bluewater platform.

The 450 F features the popular flybridge layout, offering excellent visibility, efficient sail handling, and a commanding helm position, while maintaining a seamless flow between indoor and outdoor living spaces. Designed for both long-distance cruising and relaxed coastal sailing, this catamaran delivers impressive performance under sail alongside exceptional stability and comfort.

With its spacious accommodations, thoughtful ergonomics, and timeless Italian styling, LAGOON 450 is equally well suited for private ownership, extended cruising, or charter use. The Lagoon 450 F remains one of the most sought-after cruising catamarans in its class, and this example represents an outstanding opportunity to step aboard a design that continues to set the standard.

Full Specification

[Layout & Accommodations](#)

INTERIOR LAYOUT – CHARTER VERSION

4 double cabins

4 heads, each with dedicated shower

STANDARD INTERIOR WOOD IN LIGHT ALPI OAK WITH MILANO FLOOR - 4-CABIN VERSION

Interior woodwork in Alpi Blond Oak plywood

Laminated dark brown flooring

Cabin doors without thresholds for easy access

Head doors with thresholds

Stainless steel handrails wrapped in leather

FRP liner in main salon

Fabric-covered wooden ceiling panels or fiberglass liners in cabins and heads

Fabric hull liners in cabins

Curtains in cabins and forward windows

Marine-grade cabin mattresses constructed from multi-layer alveolar foam with varying densities

Thickness: 120 mm (5")

Anti-microbial

Anti-bacterial

Non-allergenic

Anti-dust mite

Standard upholstery per Lagoon sample specifications

SPECIAL UPHOLSTERY PVC SNOW WHITE (salon & settees) - 4-CABIN VERSION

CURTAINS ON SALON DOOR AND AFT WINDOW (Ombre)

Helm seat cushions Dark Grey

Indirect lighting in cabins and salon

Aft portholes in aft cabins with curtains

Leather bulkhead organizers in the cabins

Bathroom floor with wooden slats

QUIET FLUSH ELECTRICAL TOILETS - 4-CABIN VERSION

USB SOCKETS IN THE CABINS (x4) - 4 CABINS

2 ADDITIONAL STOOLS IN SALON PVC SNOW WHITE

DOUBLE BERTH IN SALON SHARK BROWN

FANS IN SALON AND CABINS

BERTH IN PORT BOW COMPARTMENT - ALPI OAK

BERTH IN STARBOARD BOW COMPARTMENT - ALPI OAK

Cabin doors without thresholds for easy access

Head doors with thresholds

Stainless steel handrails wrapped in leather

FRP liner in main salon

Fabric-covered wooden ceiling panels or fiberglass liners in cabins and heads

Fabric hull liners in cabins

Curtains in cabins and forward windows

Standard upholstery per Lagoon sample specifications

Synthetic marine fabrics:

Washable (up to 40°C)

UV resistant

Water repellent

Stain-resistant treatment

No. of berths: 12

No. of Cabins: 4

No. of Heads: 4

Galley

Galley located in the main salon to starboard

White synthetic resin countertop

Double stainless steel sink with hot & cold pressurized water

Integrated dish drainage area

Cutlery drawer

Storage cabinetry below sink

3-burner stainless steel stove with oven and grill

12V refrigerator, front-loading

Capacity: 130 L (34 US gallons)

Second 12V refrigerator – front-loading

Additional fridge 130L (34US Gal)

1 ADDITIONAL S/STEEL FRIDGE (in lieu of standard) + 1 S/STEEL FREEZER - ALPI OAK

Porthole in galley

Sliding window between cockpit and galley

Deck & Equipment

Spacious aft cockpit designed as an outdoor deck salon

U-shaped cockpit seating

Removable, varnished wood cockpit table

Starboard-side lounger (lazy boy) with integrated storage

Large storage locker

Two storage lockers in stern crossbeam

Polyester non-slip toe rails on cockpit sides

Spacious forward lounging area

Sun pad and forward settee

Large forward storage locker

Dual access stairways from deck

Large bench seating for up to 6 guests

Sun pad positioned forward of helm station

Two opening hatches providing access to engine compartments

Easy boarding and water access via aft transoms

Pulpits with wooden seats

Flag halyards on spreaders

Deck courtesy lights in cockpits, transoms and flybridge

Pair of s/steel davits & electric winch

Electrical manœuvre winch to starboard side 60.2

Deck wash pump sea water / fresh water

Sea and freshwater foot pumps

Fresh water dock inlet

WINDLASS REMOTE CONTROL AT FLYBRIDGE WITH CHAIN COUNTER

AFT COCKPIT CUSHIONS - DARK GREY

FORWARD COCKPIT CUSHIONS - DARK GREY

AFT COCKPIT FLOOR IN TEAK

COCKPIT ICE BOX 130L / 34USGal

12V COCKPIT FRIDGE 80L (21US Gal)

OUTBOARD ENGINE BRACKET ON PUSH PIT

ALL ELECTRIC FLYBRIDGE WINCHES IN LIEU OF STANDARD

ELECTRIC WINCH FOR DAVITS 40.2STA EH

Vertical-axis electric windlass: 12V / 1,700 W

Forward trampoline with knot-less nylon netting

Opening aeration hatch / flybridge roof opening for cockpit ventilation

Dedicated storage for two gas bottles on starboard side

Built-in storage for cockpit table in bimini ceiling

Bin with top access and front door

Storage locker with top access

Capacity: 70 L / 18 US gallons

Drainage fitted

Additional locker on starboard side

(generator installation optional)

Access to windlass and chain locker via vertical panel

Mast-mounted deck light

Dedicated bow compartments

Access from deck via lockable hatches

Storage areas on starboard side and aft beam

Adhesive Lagoon logos on roof sides

Protective helm cover

Additional storage areas around lateral staircases

Two opening hatches providing access to engine compartments from cockpit

Vertical-axis electric windlass:

12V / 1,700 W

12 mm gypsy

Located in anchor locker

External stern pulpits

Inboard stern pulpits including port-side flagpole fitting and buoy support

Composite forward longitudinal beam with recessed chain run and mooring cleat

Aluminum crossbeam with genoa furler chainplate, anchor roller, and navigation lights

Mainsheet traveler track with ball-bearing car

All winches are electric

Forward trampoline with knot-less nylon netting

Electronics & Navigation

Large instrument console for electronic displays

Navigation Pack B&G 2017

2nd H50 HANDSET AT HELM STATION FOR VHF B&G

B&G ZEUS3 12" DISPLAY AT NAV. STATION

B&G ZEUS3 12" DISPLAY AT HELM STATION

AIS 400 B&G TRANSCEIVER WITH ANTENNA COUPLING

B&G WIFI MODULE

B&G 4G RADAR

SOUNDER B&G FORWARD SCAN

B&G AUTOPILOT REMOTE

B&G VHF V50

Fusion USB Player + 2 loudspeakers in salon

BOSE 2.1 LOUDSPEAKERS IN SALON

Waterproof loudspeakers in cockpit and fly with remote

Compass

Electrical, Power & Plumbing

Watermaker: SeaWater Pro 40

2 freshwater tanks

Capacity: 350 L (92.5 US gal) each

Total: 700 L (185 US gal)

Pressurized freshwater system

Water heater: 60 L (16 US gal)

Engine heat exchanger

2 aluminum fuel tanks

Capacity: 500 L (132 US gal) each

Holding tank: 80 L (21 US gal)

Main 12V electrical panel

LED interior lighting throughout

Engine start batteries: 2 × 12V / 110 Ah

House batteries: 3 × 12V / 140 Ah

3 additional service batteries 140Amp

2nd 40Amp charger

Electrical circuit with 60 Amp battery charger

Battery controller

GEL BATTERIES IN LIEU OF ACID BATTERIES

INVERTER 12 / 110V - 2000 VA

ONAN GENSET 13,5Kva 110V / 60Hz + COCOON

Extra fresh water tanks port & starboard 4 x 175L (Total 700L / 185 US gal)

CRUISAIR A/C 48000 BTU 110V - 4-CABIN VERSION ALPI OAK

Electric shower sump pumps activated by push button

Bilge pumping system:

One manual bilge pump per hull with cockpit access

One automatic submersible bilge pump per hull

One manual non-submersible emergency bilge pump per hull

Ammeter

Voltmeter

Circuit breakers

Back-lit panel

Freshwater gauge

Fuel gauge

12V outlet

Main 12V electrical panel located in salon on starboard side, adjacent to companionway, with wood protective cover

Engine & Mechanical

Twin Yanmar diesel engines

ENGINES 2 x 57 HP (Yanmar 4JH57)

Engine controls located at helm station

Soundproofed engine compartments

Electric ventilation extractors for engine rooms

Raw water (seawater) strainers

Engine compartment lighting

Gas struts on engine hatches for safe and easy access

Soundproofed engine compartments with insulated access panels

Electric ventilation extractors for engine rooms

Raw water (seawater) strainers

Engine compartment lighting

Hour meters and compass

Engine throttles and engine panels

Sails & Rigging

Fully battened Dacron mainsail NEW 2025

Furling genoa with UV protection

Aluminum mast

Aluminum boom

Forestay with genoa furling system

Lazy-jack system

Double-purchase Spectra mainsail halyard

Pre-stretched mainsail sheet

Pre-stretched genoa furling line

Eight mooring cleats

Winches

CODE 0 RIG AND POLE

ALL ELECTRIC FLYBRIDGE WINCHES IN LIEU OF STANDARD

Electrical manœuvre winch to starboard side 60.2STAEH

ELECTRIC WINCH FOR DAVITS 40.2STAEH

Double-spreader rig

Two upper shrouds with chafe protection

Two lower shrouds

Three pre-stretched mainsail reefing lines

Two pre-stretched mainsail traveler control lines

Pre-stretched mainsail sheet

Two pre-stretched genoa sheets

Pre-stretched genoa furling line

[Additional Information](#)

Weight - Displacement: 16.648 ton (33296 lb)

Hull Material: Fiberglass

Hull Configuration: Catamaran

Manuf. Length: 45' 10" (13.97 m)

Beam: 25' 10" (7.87 m)

Maximum Draft: 4' 3" (1.30 m)

Mast Height Clearance: 75' 8" (23.06 m)

Location Tortola British Virgin Islands

Image Gallery


















































































Disclaimer

The Company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents, or his surveyors to investigate such details as the buyer desired validated. This vessel is offered subject to prior sale, price change, or withdrawal without notice. Photos may not properly reflect the current condition of the actual vessel offered for sale. In some cases stock photographs may have been used.

Mechanical Disclaimer

Engine and generator hours are as of the date of the original listing and are a representation of what the listing broker is told by the owner and/or actual reading of the engine hour meters. The broker cannot guarantee the true hours. It is the responsibility of the purchaser and/or his agent to verify engine hours, warranties implied or otherwise and major overhauls as well as all other representations noted on the listing.

Dinghy Disclaimer

All dinghies are considered separate vessels and should have separate titles and documents. There is no guarantee as to the title of the dinghy on this vessel so Buyer accepts that while he may receive the dinghy included in the transaction, he may not receive the proper title to it.